

Invented and patented in 1929, GLYSANTIN[®] proudly represents the world's first engine coolant.


The brand and its products have continuously evolved to meet and exceed the developing needs of powertrain and technology trends while at the same time contributing to a sustainable future. Today, the GLYSANTIN[®] ELECTRIFIED[®] product family provides market-leading solutions with tangible sustainability contributions to current and future mobility concepts.

ELECTROMOBILITY

Mobility solutions are continually evolving and vehicle fleets around the globe are changing. The amount of available powertrain technologies has expanded significantly: Advancements in internal combustion engines (ICE), battery electric vehicles (BEV), fuel cell electric vehicles (FCEV) and hybrid technologies (FHEV, PHEV) lead to a mix of powertrains on the road. This also translates into new requirements for coolant technologies. Continuously rethinking cooling, GLYSANTIN[®] has developed a portfolio to specifically address the needs of today's and tomorrow's powertrain technologies.

The **GLYSANTIN**[®] **ELECTRIFIED**[®] product family addresses the specific requirements of modern mobility concepts. It also offers premium engine coolants suitable for all current and future powertrains delivering manifold protection. While traditional GLYSANTIN[®] products used in ICE are also suitable for hybrid technologies and indirectly cooled BEV, new dedicated products for FCEV and BEV (direct and indirect cooling) have been developed.

GLYSANTIN[®] FC G20[®] ELECTRIFIED[®] is a coolant especially developed for FCEV with a low electrical conductivity. Compared to noninhibited glycol/water mixtures, the product maintains constant low electrical conductivity, securing corrosion protection and the electrical safety of the system.






COMBUSTION ENGINE


A brand of

We create chemistry



COOL... COOLER... COOOLANT

The descriptions, designs, data and information contained herein are presented in good faith, and are based on BASF's current knowledge and experience. They are provided for guidance only, and do not constitute the agreed contractual quality of the product or a part of BASF's terms and conditions of sale. Because many factors may affect processing or application/use of the product, BASF recommends that the reader carry out its own investigations and tests to determine the suitability of a product for its particular purpose prior to use. It is the responsibility of the recipient of product to ensure that any proprietary rights and existing laws and legislation are observed. No warranties of any kind, either expressed or implied, including, but not limited to, warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth herein, or that the products, descriptions, designs, data or information may be used without infringing the intellectual property rights of others. Any descriptions, designs, data and information given in this publication may change without prior information. The descriptions, designs, data, and information furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for the descriptions, designs, data, and information given and teader's risk. (05/202). data or information given or results obtained, all such being given and accepted at the reader's risk. (05/2023)



GLYSANTIN[®] G22[®] ELECTRIFIED[®]



